

## Table 2 - Reference intervals for immunoglobulins G, A, M (g/L)

Reference intervals may vary with methodology and with the racial composition of the population

	Immunglobulin G	Immunglobulin A	Immunglobulin M
<b>Cord blood</b>	6.4-16.1	0.01-0.04	0.06-0.26
<b>1 month</b>	2.5-9.1	0.01-0.53	0.20-0.87
<b>2 months</b>	2.1-6.0	0.03-0.47	0.17-1.1
<b>3 months</b>	1.8-5.8	0.05-0.46	0.24-0.89
<b>4 months</b>	2.0-5.6	0.04-0.73	0.27-1.0
<b>5 months</b>	1.7-8.1	0.08-0.84	0.33-1.1
<b>6 months</b>	2.2-7.0	0.08-0.88	0.35-1.0
<b>7-9 months</b>	2.2-7.0	0.11-0.90	0.34-1.3
<b>10-12 months</b>	2.9-11.0	0.16-0.84	0.41-1.5
<b>1 year</b>	3.5-12.0	0.14-1.1	0.43-1.7
<b>2 years</b>	4.2-11.0	0.14-1.2	0.48-1.7
<b>3 years</b>	4.4-11.0	0.22-1.6	0.47-2.0
<b>4-5 years</b>	4.6-12.0	0.25-1.5	0.43-2.0
<b>6-8 years</b>	6.3-13.0	0.33-2.0	0.48-2.1
<b>9-10 years</b>	6.1-16.0	0.45-2.4	0.52-2.4
<b>Adult</b>	6.5-16.0	0.6-4.0	0.5-3.0